


Effective Driver and Passenger Protection with Webasto Air Filtration System



BUS PARTS
BY NY BUS SALES & SCHOOL LINES CT

**NY DOT Approved
Call Us Now!**



Up to 350 ft³
(10 m³) Fresh
Air Every
Minute



HEPA Technology
Removes 99.995%
Airborne Infections



Compact,
Easy and Fast
Retrofit Solution



Contamination
Free Exchange
of H14 Filters


Technical Specifications

	HFT 300	HFT 600
Nominal voltage (V)	12	12
Current consumption at 12 V (A)	7.1	14.2
Air flow rate	175 cfm (300 m ³ /h)	350 cfm (600 m ³ /h)
Air filtration level	H14	H14
MPPS efficiency	99.995%	99.995%
Sound level (db)	<65	<68
Dimensions O.D.x L	8 in x 24 in (200 mm x 600 mm)	8 in x 48 in (200 mm x 1200 mm)
Weight	6.8 lbs (3.1 kg)	12.1 lbs (5.5 kg)
Installation position	Any	Any
Temperature range	-4 °F to +140 °F (-20 °C to +60 °C)	-4 °F to +140 °F (-20 °C to +60 °C)



Key benefits at a glance:

- Removes 99.995% of airborne infections and contaminants
- HEPA H14 classified filter
- High air exchange rate
- Up to 350 ft³ (10 m³) fresh air every minute
- Ultra compact and lightweight
- Hasslefree installation
- Contamination free exchange of H14 filters
- Available in two versions: 175 cfm (300 m³/h) and 350 cfm (600 m³/h)
- Automatic filter monitoring feature
- Compliant with European Medical Device Directive CE 47/2007
- Meets WHO / CDC / ECDC air filtration guidelines



Retrofit any
public transport vehicle
with medical grade
air filtration system



BUS PARTS

BY NY BUS SALES & SCHOOL LINES CT

Rochester | Chittenango | Albany | North Branford, CT

888-26-PARTS

www.newyorkbussales.com

webasto.com